



Installing description


HARO – Sports floor Model: Helsinki

Update: 2002

Hamberger Industrierwerke GmbH
P.O. Box: 10 03 53 • 83003 Rosenheim • Germany
Phone : 0049 (0) 8031 7 00-494 • Fax : 0049 (0) 8031 7 00-463
e-mail: mail@hamberger.de • Internet: www.haro.de

HARO - SPORTS

Equalizing layer



Measurements in mm

Installing description


Modell: Athen/ Montreal/ Helsinki

Page

1 of 5

HARO - SPORTS

Haro elastic foam: Installation of Haro Elastic layer



Measurements in mm


Installing description

Modell: Athen/ Montreal/ Helsinki

Page
3 of 5

HARO - SPORTS

Installation of Load Distribution Modules



Attention:

- Do not place any loads for aprox. 2 - 4 hours after glueing slot and feather connection
- Leave 10 mm space between short pieces without slot and feather connection
- Fix PE - Foil with dispersion glue pointwise on top of load distribution layer

Measurements in mm


Installing description

Model: Helsinki 10 / 15 / 20 / 25 / 30

Blatt
4 of 5

HARO - SPORTS

Installing of Haro - Sports parquet



First and last row has to be pre - drilled and fixed tightly


Screw heads should be scuttled approx 2 mm

use:


- 4,2 x 35 mm for sports parquet 12,4/ 15,4 mm and 4,2 x 40 mm for sports parquet 17,9/ 20,4 mm
- Close screw holes with Hard Wax

Fastenings:

- Staples: BAB M17, 38 mm in case of sports parquet thickness 12,4/ 15,4 mm
- T-Nails: 2,2 x 38 mm in case of sports parquet thickness 17,9/ 20,4 mm



Attention:




Details not in scale

Distance between fastenings and corner of parquet feather approx. 2 mm

Sports parquet: Fixing

Details not in scale



- Pasting:
- Apply a line of glue on top of feather of sports parquet module
 - Then fasten with staples or screws

Always install sports parquet along length of sports hall

Measurements in mm

Installing description


Model: Helsinki 10/ 15/ 20/ 25/ 30

Page

5 of 5

HARO - SPORTS

thermal insulation = Installation of insulation



Measurements in mm

Installing description

Modell: Athen/ Montreal/ Helsinki

Page
2 of 5